


P3000

K-BODYCAM

 Made in KOREA
Engineered in KOREA

On-device AI Body-worn camera
for safety and security

www.linkflow.co.kr | sales@linkflow.co.kr



LINKFLOW

Accelerated by **SAMSUNG**



Smart Bodycam Equipped with On-device AI

The P3000 is equipped with a high-performance chipset and GPU to support On-device AI functionality, allowing it to analyze footage and detect potential dangers to assist in operations. Through situational awareness and incident learning, it performs functions tailored to the specific needs of each organization



Privacy Protection with Mosaic Processing and Data Locking

To safeguard against privacy concerns, footage captured by the P3000 is designed to be promptly processed to obscure sensitive areas using dedicated P3000 software. Furthermore, to prevent unauthorized access and data breaches, a robust data locking feature restricts access exclusively to authorized administrators, ensuring the secure protection of sensitive information.



Simultaneous Recording Through Group Connection

The P3000 supports real-time simultaneous recording by connecting multiple cameras in a "group" within close range. This feature allows the coordinated start and stop of recording with colleagues' bodycams, ensuring no critical moments are missed, even when recording was not initiated in time.



High-capacity Battery / Sleep Mode

To optimize battery usage, the device enters ultra-power-saving sleep mode if there is no activity for 10 minutes or when the power button is pressed again while powered on.



4K UHD Recording / Clear Night Vision

With a super wide-angle lens of 148.2°, the P3000 supports 4K UHD recording and provides clear night vision in low-light conditions, due to its high-performance sensor.



QR Recognition for Rapid User Registration & Voice Recognition

The P3000 enables administrators to generate QR data through a dedicated system, allowing seamless user switching via QR recognition when a single bodycam is shared among multiple users. Additionally, usage-specific information can be entered directly into the bodycam.

The device detects impacts and tilts to monitor the user's condition. It also features voice recognition, which can automatically initiate recording, ensuring critical moments are captured without delay.



Convenience Features & Customization

LINKFLOW customizes development to meet the specific requirements of each organization, integrating BLE and Wi-Fi technologies to enable advanced functionalities.

For instance, the P3000 can automatically start recording when a firearm is drawn, a vehicle is entered, or a designated area is accessed. Furthermore, LINKFLOW supports the development of specialized features tailored to user requests.



*For privacy protection and recording notification, 'REC' is displayed on the front of the camera when recording begins.

Video Management Solutions




Secure Video Management Software

The dedicated video management software enables secure storage and management of recorded footage through advanced security technologies. The network configuration and storage capacity are designed to meet the specific needs of each organization, allowing for customized solutions suitable for government agencies and B2B sectors.



Data Backup / Charging via Docking Cradle








The P3000's dedicated docking cradle enables secure data backup and charging. Using LINKFLOW's proprietary technology, the bodycam integrates seamlessly with the cradle to ensure safe data transfer. Through the administrator software, users can access the bodycam to modify settings and manage various functions.

P3000 Specification

Resolution	2160, 1440, 1080, 720 / 4K UHD max
Video format	H. 264
Recording Time	Appx. 8 hours (FHD 30fps, continuous recording)
Field of View	148.2° (Diagonal)
Audio recording	Supported
Pre-recording	Max. 120 sec
IP RATING	IP67

Durability	MIL-STD-810G
Operating temperature	-4°F to 122°F (-20°C to 50°C)
Flashlight	Supported
Charging	USB-C Cable or Dedicated Cradle
Weight	140g
Size	(H)87.5 x (W)54 x (D)34.4mm
Country of Manufacture	Republic of Korea

Clients

				
				
				
	... Other institutions			

*Proven B2B supply track record with leading enterprises, including Hyundai Heavy Industries, Lotte Construction, and Doosan Heavy Industries

*Completed the 2024 Korean National Police Agency bodycam PoC (Proof of Concept)

Certification / Awards



Preliminary Unicorn Company
(Korea Technology Finance Corporation)

Defense Innovation Company
(Defense Acquisition Program Administration)

INNO-Biz Company
(Ministry of SMEs and Startups)

Innovative Product
(Public Procurement Service of Korea)

Materials, Parts, and Equipment Company
(Ministry of SMEs and Startups)

NET New Technology Certification
(Ministry of Trade, Industry, and Energy)

TTA Certification
(Telecommunications Technology Association of Korea)

ISO 9001 Certification
(Korean Standards Association)

World-Class Product
(Ministry of Trade, Industry, and Energy)

Minister's Award for Venture Promotion
Excellence (Ministry of SMEs and Startups)

Outstanding Venture Company
(Ministry of SMEs and Startups)

CES Innovation Award 2018, 2019, 2020 (CES)

RED DOT DESIGN AWARD (Germany)

IF DESIGN AWARD (Germany)

IDEA DESIGN AWARD (USA)

GOOD DESIGN AWARD JAPAN (Japan)

Patents



26 Domestic Patents
- 14 Registered
- 12 Applied



25 International Patents
- 10 Registered
- 15 Applied

협력사











LINKFLOW

LINKFLOW CO., LTD.
Address #623, DMC Hi-tech Business Center, 330, Seongam-ro,
Mapo-gu, Seoul, Republic of Korea

Sales (Phone) 070-5178-2584, 2586, 9902 (Email) sales@linkflow.co.kr
Customer service 1833-2526 Official website www.linkflow.co.kr